

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"6195705".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:09
L3	1	2 and access\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L4	182	(prefer\$ with agent ) and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L5	182	L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L6	89	((prefer\$ with agent ) and "709"/\$.ccls.) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L7	89	L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L8	44	((((prefer\$ with agent ) and "709"/\$.ccls.) and @ad<"19990309") and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L9	44	L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L10	5	(switching with prefer\$ with agent ) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L11	5	L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38

L12	85	assign\$ with address with identifier with mobile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L13	85	L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L14	110	(assign\$ with address with identifier) and (broadcast\$ with identifier)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L15	87	((assign\$ with address with identifier) and (broadcast\$ with identifier)) and @ad<"20000616"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
L16	110	L14 L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:38
S1	2	"6694350".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 15:56
S2	29729	prefer\$ with agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:09
S3	16304	"709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:09
S4	150	(prefer\$ with agent ) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:09
S5	39903	prefer\$ with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:15
S6	30883	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:09

S7	314	(prefer\$ with agent ) and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:09
S8	85	((prefer\$ with agent ) and "709"/\$.ccls.) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:20
S9	43	((((prefer\$ with agent ) and "709"/\$.ccls.) and @ad<"19990309") and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:10
S10	29	switch\$ with prefer\$ with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:16
S11	10	switching with prefer\$ with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:16
S12	4	(switching with prefer\$ with agent ) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:18
S13	2832	709/238-244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:18
S14	0	709/238-244.ccls. and preferred adj (device or entity or agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:20
S15	501	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:20
S16	258	709/239.ccls. and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:21

S17	1	(709/239.ccls. and @ad<"19990309") and GGSN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:20
S18	1198	709/238-244.ccls. and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:21
S19	1	(709/238-244.ccls. and @ad<"19990309") and GGSN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:58
S20	2	"6195705".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 10:58
S21	1	"6195705".pn. and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 12:03
S22	2	"6195705".pn. and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 12:04
S23	57	"6195705".URPN.	USPAT	OR	ON	2004/09/07 13:52
S24	27	("5446736"   "5691985"   "5875183"   "5930714"   "5987011"   "6014569"   "6041358"   "6084870"   "6122665"   "6161008"   "6185288"   "6195705"   "6298062"   "6314284"   "6337858"   "6393482"   "6421339"   "6421714"   "6434134"   "6434168"   "6473411"   "6490259"   "6490275"   "6496704"   "6526033"   "6628943"   "6665293").PN.	USPAT	OR	ON	2004/09/07 13:52
S25	1080	assign\$ with address with identifier	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 14:10

S26	69	assign\$ with address with identifier with mobile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 14:14
S27	1687	broadcast\$ with identifier	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 14:15
S28	95	(assign\$ with address with identifier) and (broadcast\$ with identifier)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 14:15
S29	81	((assign\$ with address with identifier) and (broadcast\$ with identifier)) and @ad<"20000616"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 14:15